



Order no.: 065006

Entry aid (grab bar) with galvanised steel sleeve

Material

Specification

| | | | | |
|-------------------------------|------------------|---|--|---------------------|
| Suitable for Shaft ladders | Weight 2.5 kg | Transport dimensions 1455 x 45 x 190 mm, 2.5 kg | Business division MUNK Günzburger Steigtechnik | Order no. 065006 |
| Price € 126.00 | | | | |

Facts

- Effective solution for secure access in demanding environments
- Can be lowered for easy mounting on the wall, ideal for various locations
- Made of pickled and passivated V4A (1.4571) stainless steel or galvanised steel
- Can be lowered for fastening to the wall

Scope of supply

- Entry aid: 1 x
- Assembly instructions: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

