

Order no.: 115050

Rescue and working platform



Specification

Platform height min. 970 mm	Platform height max. 970 mm	Platform length 1.86 m	Platform width 750 mm	Surface Aluminium tibial plate
Non-slip class R10	Outer width 910 mm	Depth of side-rails 60 mm	Width of side-rails 25 mm	Step/Rung height 30 mm
Step depth 65 mm	Number of steps/rungs 3 rungs	Step/Rung distance 260 mm	Max. load capacity 500 kg	Material Aluminium
Weight 28 kg	Transport dimensions 2050 x 890 x 130 mm, 28 kg	Business division MUNK Rettungstechnik	Order no. 115050	

Facts

- Rescue and working platform made of aluminium
- For rescuing injured persons from trucks, buses and trains
- Can also be used as a working platform
- Platform with non-slip surface made of aluminium chequered plate (R 10)

- Access via non-slip and ribbed steps
- Folding access ladders on both sides with self-locking steel hinges
- Railing and side-rail extensions optionally available
- Platform size: 1,860 x 750 mm
- Permissible load: 500 kg

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

