

Order no.: 116101

## Scaling ladder lower section ÖNORM F 4047



### Specification

Intended use <b>Rescue</b>	Ladder length <b>2.7 m</b>	Setting angle <b>70 °</b>	Clear width between rungs <b>245 mm</b>	Outer width <b>483 mm</b>
Ladder feet <b>Ladder shoe</b>	Depth of side-rails <b>74 mm</b>	Width of side-rails <b>35 mm</b>	Step/Rung height <b>28 mm</b>	Step depth <b>29 mm</b>
Number of steps/rungs <b>9 rungs</b>	Step/Rung distance <b>273 mm</b>	Max. load capacity <b>216 kg</b>	Persons max. <b>2</b>	Material <b>Aluminium</b>
Weight <b>8.6 kg</b>	Transport dimensions <b>2660 x 484 x 85 mm, 7.5 kg</b>	Business division <b>MUNK Rettungstechnik</b>	Article no. <b>116101</b>	

### Facts

- Rescue ladder, made of aluminium, compliant with ÖNORM F4047
- Secure push-fit connections with spring-loaded locking pin
- 4-fold edged rung-to-side-rail connection
- Conical side-rail guide for safe stance

- Corrosion-resistant fixtures made of galvanised steel
- Non-slip and replaceable ladder shoes
- Upper ladder with box profile rung made of aluminium chequered plate
- Permissible load: 2 persons

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures



## Accessories



Order no.: 116102  
Scaling ladder  
upper section  
ÖNORM F 4047



Order no.: 116104  
Scaling ladder  
connecting section  
ÖNORM F 4047



Order no.: 820005  
Holder, scaling  
ladder aluminium  
DIN EN 1147 and  
ÖNORM F4047



Order no.: 820001  
Inside shoe, FS  
ladder DIN EN  
1147 and ÖNORM  
F4047



Order no.: 820002  
Blind rivets, flat  
head, 4.8x11.5 for  
holder

## Corporate certifications

---

on sustainability criteria

