



Order no.: 303104

Platform ladder with castors



Number of steps

- 4
- 5
- 6
- 7
- 8

Specification

| | | | | |
|--|-------------------------------------|---|---|---|
| Working height 2.95 m | Step design Steps | Number of steps/rungs 4 steps | Platform included as step Yes | Platform height 950 mm |
| Platform length 800 mm | Platform width 650 mm | Step depth 80 mm | Step/Rung distance 235 mm | Height 2.05 m |
| Base area 1.32 m | Inclination 70 ° | Outer width 1.26 m | Stabiliser width 1.26 m | Depth of side-rails 73 mm |
| Width of side-rails 25 mm | Max. load capacity 150 kg | Design type Freestanding Single-sided access With castors | Weight 31 kg | Transport dimensions 1210 x 730 x 370 mm, 31 kg |
| Business division MUNK Günzburger Steigtechnik | Order no. 303104 | Price € 995.00 | | |

Facts

- Platform ladder made of aluminium
- Stable rectangular tube side-rails
- Grooved steps with a depth of 80 mm

- Spacious platform with grooves for secure footing (800 x 650 mm)
- 4-fold edged step-to-side-rail connection
- With handrail on both sides, 3-sided, 1,000 mm high railing with knee and foot rails
- Two Ø 100 mm castors for easily moving to a new location
- Easy to assemble (delivered unassembled)
- Stabiliser bars for high stability
- Outer width: 650 mm (without stabiliser)
- Ladder inclination: 70°
- Maximum load: 150 kg

Scope of supply

- Ladder: 1 x
- Castor (enclosed separately): 2 x
- Handrail (enclosed separately): 2 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.

- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



Castors

- Ergonomic and comfortable handling
- Simple movement from place to place



Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit:

www.bgbau.de/service/angebote/arbeitsschutzpraemien

A brief overview of the subsidy and an overview of our eligible products can be found on our website under [know-how](#).

Certificates



5011053.24004 -
Certificate Product
Safety Type
approved

Valid in



DIN EN 131-7:2013
DIN EN 131-3:2018

Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

