

Order no.: 050172

Work stand



Number of steps

2

3

4

5

Specification

Platform height 400 mm	Top surface depth 300 mm	Top surface width 500 mm	Step/Platform surface Aluminium corrugated	Non-slip class R9
Number of steps/rungs 2 steps	Depth of side-rails 59 mm	Base area length 550 mm	Base area width 570 mm	Max. load capacity 300 kg
Material Aluminium	Weight 8.32 kg	Transport dimensions 450 x 655 x 265 mm, 8.32 kg	Business division MUNK Günzburger Steigtechnik	Article no. 050172
Price € 352.00				

Facts

- Work stand made of aluminium
- Particularly stable design using rectangular tube side-rails
- 200 mm deep steps with grooves for a secure footing
- Top tread area: 510 x 300 mm

- Non-slip plastic shoes
- Easy assembly (shipping disassembled)
- Step spacing 200 mm
- Max. load 300 kg

Scope of supply

- Step stool: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



From small to large

- The right product for every application
- One-sided and two-sided variants



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport



Sponsored by BG BAU


Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit:

www.bgbau.de/service/angebote/arbeitschutzpraemien


A brief overview of the subsidy and an overview of our eligible products can be found on our website under [know-how](#).




Accessories




Order no.: 050076
Handrail bracket
for work stand




Order no.: 050077
Lifting castor work
stand rigid




Order no.: 019247
Inside shoe
electrically
conductive for
platform stairs




Order no.: 019246
Inside shoe for
platform stairs




Order no.: 019168
Information sticker
for step stools /
platforms without
holding device



Order no.: 019139
Information sticker
for work stand-
purpose ladders



Order no.: 019176
Inventory sticker



Order no.: 019175
Inspection sticker

Corporate certifications

on sustainability criteria

