

Order no.: 019810

## Transport lifting castor for double-sided step ladders



### Specification

Product type <b>Accessories</b>	Length <b>125 mm</b>	Width <b>85 mm</b>	Suitable for ladder type <b>Double-sided ladders   Platform ladders</b>	Castor diameter <b>125 mm</b>
Material <b>Galvanised steel   Plastic</b>	Weight <b>0.9 kg</b>	Transport dimensions <b>250 x 170 x 90 mm, 0.9 kg</b>	Business division <b>MUNK Günzburger Steigtechnik</b>	Order no. <b>019810</b>
Price <b>€ 60.00</b>				

### Facts

- Enables effortless ladder movement
- Facilitates moving the ladder when closed
- Easy to retrofit onto existing ladders
- For the lower ladder end. When closed, the step ladder can be easily moved using the Ø 125 mm lifting rollers
- 1 set = 2 items

## Scope of supply

- Lifting castors: 2 x
- Assembly instructions: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

