



Order no.: 077576

# Safety strap runner GÜFA

## **Specification**

| Length                   | Width  | Height   | Max. load capacity           | Material                 |
|--------------------------|--|--|------------------------------|--------------------------|
| 100 mm                   | <b>80 mm</b>   | <b>90 mm</b>   | 150 kg                       | Stainless steel          |
| Weight<br><b>1.36 kg</b> | Transport dimensions<br>165 x 145 x 105<br>mm, 1.36 kg | Business division<br>MUNK Günzburger<br>Steigtechnik | Article no.<br><b>077576</b> | Price<br><b>€ 675.00</b> |

#### **Facts**

- For all fall protection systems of MUNK Günzburger Steigtechnik
- Robust design with screw carabiner
- Smooth running and easy to handle thanks to rounded, ergonomic shape
- Tested in accordance with DIN EN 353-1
- Made of stainless steel V4A (1.4571), polyamide and aluminium
- Max. nominal load 150 kg, min. nominal load 50 kg



## Scope of supply

Safety strap runner: 1 x

## Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: EN 1090

Corporate certification: EcoVadis


- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

### More product pictures





#### **Accessories**



#### **Certificates**





## **Corporate certifications**

on sustainability criteria









