



Order no.: 012009

## Rung window cleaner's ladder upper section



Number of rungs

4

8

### Specification

Ladder length <b>2.19 m</b>	Number of steps/rungs <b>4 rungs</b>	Step/Rung height <b>30 mm</b>	Step depth <b>30 mm</b>	Step/Rung distance <b>280 mm</b>
Upper outer width <b>128 mm</b>	Lower outer width <b>437 mm</b>	Inclination <b>70 °</b>	Depth of side-rails <b>73 mm</b>	Width of side-rails <b>25 mm</b>
Max. load capacity <b>120 kg</b>	Design type <b>To lean against</b>	Weight <b>5 kg</b>	Transport dimensions <b>2196 x 437 x 135 mm, 5 kg</b>	Business division <b>MUNK Günzburger Steigtechnik</b>
Article no. <b>012009</b>	Price <b>€ 233.00</b>			

### Facts

- Rung window cleaner's ladder made of aluminium
- Stable rectangular tube side-rails
- Rectangular rungs grooved on both sides, 30 x 30 mm
- 4-fold edged step-to-side-rail connection

- Secure push-fit connection with additional hook lock
- Upper ladder with castors and abrasion-resistant contact rubber pad with wedge cut-out
- Lower ladder with nivello® stabiliser for extra stability and safe ascent (enclosed separately)
- Depending on the selection, a maximum of four individual parts can be combined, as the standing height of 5.0 m must not be exceeded
- Rung distance: 280 mm
- Maximum load: 120 kg

### Scope of supply

- Ladder upper section: 1 x
- Instructions for use and operation: 1 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality

- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories




### Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders




## Accessories




Order no.: 019326

Accessory package "TRBS kit"




Order no.: 019324

Accessory package "Secure footing"




Order no.: 019900

Hook-in platform R13 for rung ladders




Order no.: 019910

Hook-in step R13 for rung ladders




Order no.: 019902

MaxxStep step module



Order no.: 019115

Bucket hook



Order no.: 019637

Wall pad for window cleaner's ladder



Order no.: 019640

Conversion kit wide support block

## Corporate certifications

---

on sustainability criteria

