

Order no.: 050418

## Lifting castors



### Specification

|  |                                    |  |   |                          |
|--|------------------------------------|--|---|--------------------------|
| Length<br><b>90 mm</b>                                     | Width<br><b>40 mm</b>              | Castor diameter<br><b>50 mm</b>                          | Material<br><b>Aluminium   Plastic   Galvanised steel</b> | Weight<br><b>0.32 kg</b> |
| Transport dimensions<br><b>160 x 150 x 110 mm, 0.32 kg</b> | Product type<br><b>Accessories</b> | Business division<br><b>MUNK Günzburger Steigtechnik</b> | Article no.<br><b>050418</b>                              | Price<br><b>€ 34.00</b>  |

### Facts

- 1 set = 2 items
- Ø 50 mm
- Requires customer-assembly

#### Scope of supply

- Lifting castor: 2 x
- Assembly instructions: 1 x

### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria

