



Order no.: 120205

Lamp pole 3.5 m

Type

Lighting mast 3.5 m

Lighting mast 4 m

Specification

Product type Lighting mast 3.5 m	Height of lamp pole (tripod retracted) 1.45 m	Height of lamp pole (tripod extended) 3.5 m	Height of lamp pole (tripod mounted) 1.75 m	Weight 20 kg
Transport dimensions 1495 x 330 x 370 mm, 20 kg	Business division MUNK Rettungstechnik	Order no. 120205		

Facts

- Pneumatically extendable via hand pump (up to 3.0 / 3.5 / 4.0 m)
- Spiral cable with 230 V plug (IP68) / 2x 230 V sockets (IP68) mounted on the pole
- Including bridge bracket for two spotlights
- Delivered ready for use including mounting material for self-assembly
- Only suitable for mounting on mobile containers (no mast extension warning switch mounted)
- Height dimensions without connection bridge

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

