



Order no.: 041515

Retrofit kit clip-step for double-sided step ladder, with single-sided access

Set for ladders with

3 steps	4 steps	5 steps	6 steps	7 steps
8 steps	9 steps	10 steps	12 steps	
14 stens				

Specification

Product type Accessories	Length 379 mm	Width 85 mm	Height 23 mm	Step depth 80 mm
Suitable for ladder type Double-sided ladders	Set for ladders with 3 steps	Number of step paddings in the set 2 pcs.	Type of non-slip protection clip-step	Material Plastics
Weight 0.29 kg	Transport dimensions 380 x 96 x 23 mm, 0.29 kg	Business division MUNK Günzburger Steigtechnik	Order no. 041515	Price € 27.00
Spare part for article no. 041503				

Facts

- Live up to the increased requirements on work safety and provide for optimised non-slip protection, safe footing and a comfortable stance on our step ladders
- The step padding made of grooved plastic is clipped onto the step to cover the whole surface and is custom-fit; it can be removed again without damage to the ladder and leaving no residue



- The clip-step step padding is applied up to the max. accessible step as per DIN EN 131 in the case of step ladders accessible from both sides, thus functioning as a visual check that the ladder is being used correctly
- Available as single accessory for 11.00 EUR excl. VAT per piece (recommended retail price) for your step ladders

Scope of supply

Clip-step step paddings (different lengths): 2 x Assembly instructions: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures



Corporate certifications

on sustainability criteria









