

Order no.: 050084

Platform ladder



Number of steps

- 4
- 5
- 6
- 7
- 8
- 9
- 10

Specification

Working height 2.9 m	Step design Steps	Number of steps/rungs 4 steps	Platform included as step Yes	Platform height 900 mm
Step depth 80 mm	Step/Rung distance 235 mm	Height 1.65 m	Base spread 1 m	Inclination 70 °
Lower outer width 610 mm	Depth of side-rails 73 mm	Depth of side-rails, support 58 mm	Width of side-rails 25 mm	Max. load capacity 150 kg
Design type Freestanding Single-sided access	Weight 10.2 kg	Transport dimensions 1752 x 605 x 164 mm, 10 kg	Business division MUNK Günzburger Steigtechnik	Article no. 050084
Price € 463.00				

Facts

- Platform ladder made of aluminium
- Stable rectangular tube side-rails
- Grooved steps with a depth of 80 mm

- Large, trapeze-shaped platform (400 / 360 x 425 mm)
- 4-fold edged step-to-side-rail connection
- Conical side-rail guide for safe stance
- Two handrails for safe ascent and descent (enclosed separately)
- 'safe-cap' ladder joint
- ergo-pad® grip area with clamping mechanism
- nivello® ladder shoes with patented 2-axis inclination technology
- Practical storage tray (350 x 200 mm)
- Spreader lock with two high-strength polyester straps
- Step spacing: 235 mm
- Ladder inclination: 70°
- Maximum load: 150 kg

Scope of supply

- Ladder: 1 x
- Handrail (enclosed separately): 2 x
- Assembly instructions: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems

- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



The movable ladder shoe sets new standards in stability

[Learn more](#)



Ladder joint safe-cap

- Smooth ladder joint with large contact surface and sturdy plastic protective cap
- The 6 rivets and thicker wall thickness provide for greater stability and protection at this sensitive point on the ladder, increasing its service life
- The safe-cap protects the ladder when in use, when loading and storing, as well as the contact surfaces, walls, truck loading areas and the joint itself




ergo-pad® grip area


For easier and more ergonomic handling at the optimum carrying point




Accessories




Order no.: 019831
Rigid connection




Order no.: 019219
nivello® foot plate, electrically conductive




Order no.: 019213
nivello® foot plate for gratings 126 x 89 mm




Order no.: 019211
nivello® foot plate for smooth surfaces




Order no.: 019224
nivello® foot plate, claw




Order no.: 019810
Transport lifting castor for double-sided step ladders




Order no.: 052085
Lifting castors for platform ladders push-fit




Order no.: 019914
Side-rail extension for ladder side-rail




Order no.: 019915
Side-rail extension for ladder side-rail




Order no.: 019115
Bucket hook




Order no.: 019234
Side-rail cover cap, straight




Order no.: 019215
nivello® inside shoe, electrically conductive



Order no.: 019216
nivello® inside shoe, electrically conductive



Order no.: 019176
Inventory sticker



Order no.: 019175
Inspection sticker



Order no.: 050291

Retrofit kit clip-
step for platform
ladder



Order no.: 041588

Retrofit kit clip-
step R13 for
platform ladder

Spare parts



Order no.: 019209

nivello® foot plate,
standard



Order no.: 019051

ergo-pad® grip
area type 1



Order no.: 019429

Spreader lock



Order no.: 019205

nivello® inside
shoe



Order no.: 019206

nivello® inside
shoe

Certificates



17KFP1725-02 -
Test Certificate
"Bauart geprüft"

Valid in



DIN EN 131-
3:2007
PAK-
ANFORDERUNG
FÜR GS -
ABSCHNITT
3.1(PAH-
REQUIREMENT
FOR GS - CL. 3.1)
AFPS GS 2014:01
PAK
EK5-AK1 17-
02:2017
DIN EN 131-1:2016
DIN EN 131-2:2017

Corporate certifications

on sustainability criteria

