

Order no.: 041636

Double-sided stepladder with clip-step R13



Number of steps

- 2x3
- 2x4
- 2x5
- 2x6
- 2x7
- 2x8
- 2x9
- 2x10
- 2x12
- 2x14

Specification

Working height 2.2 m	Step design Steps	Number of steps/rungs 2x 3 steps	Step depth 80 mm	Step/Rung distance 235 mm
Type of non-slip protection clip-step R13	Height 670 mm	Base spread 690 mm	Inclination 70 °	Lower outer width 440 mm
Depth of side-rails 73 mm	Width of side-rails 25 mm	Max. load capacity 150 kg	Design type Freestanding Double-sided access	Weight 5.4 kg
Transport dimensions 740 x 432 x 212 mm, 5.242 kg	Business division MUNK Günzburger Steigtechnik	Article no. 041636	Price € 214.00	

Facts

- Step ladder made of aluminium
- Stable rectangular tube side-rails
- Grooved steps with a depth of 80 mm
- 4-fold edged step-to-side-rail connection
- clip-step R13 step padding for certified non-slip protection on all accessible steps

- Conical side-rail guide for safe stance
- nivello® ladder shoes with patented 2-axis inclination technology
- ergo-pad® grip area with clamping mechanism
- 4-fold bolted, solid ladder joint made of aluminium
- Spreader lock with two high-strength polyester straps
- Step spacing: 235 mm
- Ladder inclination: 70°
- Maximum load: 150 kg

Scope of supply


- Ladder: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality

- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)


- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



clip-step R 13 step padding

Certified non-slip protection for step ladders

- Fulfils the requirements of the highest possible non-slip class R 13 thanks to aluminium oxide particles
- Improves work safety in wet and oil-contaminated environments
- Applied up to the maximum accessible step as a visual check
- Retrofittable, available as a spare part and also in yellow in selected lengths (RAL 1021)



The movable ladder shoe sets new standards in stability

[Learn more](#)




ergo-pad® grip area

For easier and more ergonomic handling at the optimum carrying point




Note: Working heights


- National regulations (e.g. TRBS 2121 Part 2 in Germany) must be complied with with regard to the maximum working height when using the ladder as a workstation.
- Information on [TRBS 2121 Part 2](#) has been summarised on our Service page
- Read our [tips and tricks](#) on how to calculate [working height](#)




Accessories




Order no.: 019325
Accessory package "Secure footing outdoors"




Order no.: 019841
XL wall-mounted ladder holder




Order no.: 019810
Transport lifting castor for double-sided step ladders




Order no.: 019219
nivello® foot plate, electrically conductive




Order no.: 019213
nivello® foot plate for gratings 126 x 89 mm




Order no.: 019211
nivello® foot plate for smooth surfaces




Order no.: 019224
nivello® foot plate, claw




Order no.: 019216
nivello® inside shoe, electrically conductive




Order no.: 019847
Screw-on castors




Order no.: 019940
Ground spikes for ladders with nivello ladder shoe




Order no.: 019115
Bucket hook




Order no.: 019915
Side-rail extension for ladder side-rail



Order no.: 019189
Link chain restraint



Order no.: 019188
Knot chain restraint



Order no.: 019176
Inventory sticker



Order no.: 019175


Inspection sticker



Order no.: 019297


Grab rail for
stepladder
accessible from
both sides

Spare parts




Order no.: 019296

Replacement hinge set for stepladders, double-sided access, made of aluminium



Order no.: 019412

Corner strut for aluminium double-sided step ladders.




Order no.: 019209

nivello® foot plate, standard




Order no.: 019206

nivello® inside shoe




Order no.: 019429

Spreader lock




Order no.: 019140

Information sticker for double-sided ladders with double-sided access



Order no.: 019052

ergo-pad® grip area type 2



Order no.: 041553

Retrofit kit clip-step R13 for double-sided step ladder, with double-sided access

Certificates



17KFP0690-05 -
Test Certificate
"Bauart geprüft"

Valid in



DIN EN 131-1:2007
EK5-AK1 17-
02:2017
DIN EN 131-1:2016
DIN EN 131-2:2017
PAK-
ANFORDERUNG
FÜR GS -
ABSCHNITT
3.1(PAH-
REQUIREMENT
FOR GS - CL. 3.1)
AFPS GS 2014:01
PAK

Corporate certifications

on sustainability criteria

