



Order no.: 114701

SafeCaddy® "Fire protection"

Туре

with loading without loading

Specification

Tyres PU wheel (polyurethane)	Wheel diameter 260 mm	Wheel width 75 mm	Unladen weight 32.2 kg	Payload max. 47.8 kg
Perm. total weight 80 kg	Number of baskets (open) 1	Inner width basket 394 mm	Inner height basket 320 mm	Inner depth basket 258 mm
Mesh size basket 30 mm	Number of equipment boxes (closed) 2	Inner width of equipment box 408 mm	Inner height of equipment box 278 mm	Inner depth of equipment box 200 mm
Projection (equipment box open) 883 mm	Number of compartments (open) 1	Inner width compartment A 400 mm	Inner depth compartment A 170 mm	Compartments incl. aluminium box 1
Profile 30x30 mm	Material Aluminum anodized Steel coated	Business division MUNK Rettungstechnik	Transport dimensions 636 x 570 x 1147 mm, 32.2 kg	Order no. 114701

Facts

- The mobile safety system
- Transport solution in anodised aluminium
- For individual and customised fitting

Description

The SafeCaddy® "Fire Protection" without loading supports you as a mobile safety system in the implementation of preventive fire protection measures This innovative plus in every safety



- Optimised for use in preventive fire protection
- Eye-catching design for easy recognition as a rescue tool
- The innovative advantage in every security concept
- Large mesh basket for directly accessible aids
- 2 closed material boxes for additional aid and rescue equipment
- incl. aluminium box for individual equipment
- Comfortable, rubberised push handle
- Puncture-proof wide wheels made of PU, roller bearings (not blocked even after long periods of standing and always ready for use)
- 4 support feet for stable stand and pressure relief of the wheels
- Integrated lashing points for safe transport
- Simple and ergonomic operation by one person
- Fabric reinforced cover as accessory

concept is easy to transport and is made of robust, anodised aluminium. Its eye-catching design makes it immediately recognisable as a rescue tool.

With the SafeCaddy® you have direct access to aids and additional rescue equipment. Thanks to the generous mesh basket and the two closed material boxes integrated into this mobile safety system, you have everything at hand. You can individually equip the supplied aluminium box and adapt it to your requirements.

The comfortable, rubberised push handle and the puncture-proof, wide PU castors allow easy and ergonomic operation by a single person. Safety should not be a task for several people, but can be done quickly and efficiently in seconds. Even after a longer standstill, the castors do not lock or jam.

The 4 support feet ensure a stable stand and relieve the wheels. This ensures safe transport even on uneven surfaces. The integrated lashing points give you additional security to securely and safely fasten your mobile safety system during transport.

Expand your company's safety concept and use the SafeCaddy® "fire protection" without loading to complete your precautions. Benefit from the advantages that make it an indispensable part of a comprehensive fire protection concept.

Scope of supply

SafeCaddy® trolley: 1 x

Case with lid: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001



- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



