



Order no.: 114703

## SafeCaddy® "First Aid"

Type

with loading

without loading

### Specification

|   |  |   |  |  |
|---|--|---|--|--|
| Tyres<br>PU wheel<br>(polyurethane)                     | Wheel diameter<br>260 mm                   | Wheel width<br>75 mm                      | Unladen weight<br>28.8 kg                  | Payload max.<br>51.2 kg                      |
| Perm. total weight<br>80 kg                             | Number of baskets<br>(open)<br>1           | Inner width basket<br>394 mm              | Inner height basket<br>320 mm              | Inner depth basket<br>258 mm                 |
| Mesh size basket<br>30 mm                               | Number of equipment<br>boxes (closed)<br>1 | Inner width of equipment<br>box<br>408 mm | Inner height of<br>equipment box<br>278 mm | Inner depth of<br>equipment box<br>200 mm    |
| Projection (equipment<br>box open)<br>883 mm            | Number of<br>compartments (open)<br>2      | Inner width compartment<br>A<br>397 mm    | Inner depth<br>compartment A<br>250 mm     | Inner width compartment<br>B<br>423 mm       |
| Inner depth<br>compartment B<br>170 mm                  | Compartments incl.<br>aluminium box<br>1   | Profile<br>30x30 mm                       | Material<br>Aluminium   Coated<br>steel    | Business division<br>MUNK<br>Rettungstechnik |
| Transport dimensions<br>636 x 570 x 1147<br>mm, 28.8 kg | Order no.<br>114703                        |   |  |  |

### Facts

- The mobile safety system

### Description

- Transport solution in anodised aluminium
- For individual and customised fitting
- Optimised for first aid / first responder protection
- Eye-catching design for easy recognition as a rescue tool
- The innovative advantage in every security concept
- Large mesh basket for directly accessible aids
- 2 storage compartments for directly accessible tools
- 1 closed material box for additional auxiliary and rescue equipment
- incl. aluminium box for individual equipment
- Comfortable, rubberised push handle
- Puncture-proof wide wheels made of PU, roller bearings (not blocked even after long periods of standing and always ready for use)
- 4 support feet for stable stand and pressure relief of the wheels
- Integrated lashing points for safe transport
- Simple and ergonomic operation by one person
- Fabric reinforced cover as accessory

The SafeCaddy® "First Aid" without load is the innovative mobile safety system for individual and customised equipment. With this transport solution, you can organise the ambulance service protection and first aid during your missions ergonomically and efficiently.

The SafeCaddy® "First Aid" was specially developed for the needs of rescue workers and paramedics. With a large mesh basket for directly accessible aids, two storage compartments and a closed material box, you have everything in view and within reach. With the aluminium box for individual equipment, you can tailor the SafeCaddy® to your needs.

The SafeCaddy® is not only functional, it is also comfortable to transport. The puncture-proof wide wheels made of PU are mounted on roller bearings and do not block even after standing for a long time. The four stable support feet ensure a secure stand and relieve the wheels. Integrated lashing points also ensure safe transport.

The rubberised push handle enables easy and ergonomic operation by one person. With a total weight of 80 kg and a payload of up to 46 kg, the SafeCaddy® is the ideal companion for rapid deployment and rescue operations.

If you are looking for a powerful and reliable mobile safety system that can be individually adapted to your needs, the SafeCaddy® "First Aid" without load is the perfect choice for you.

### Scope of supply

- SafeCaddy® trolley: 1 x
- Case with lid: 1 x

### Information on sustainability criteria

- Corporate certification: ISO 9001

- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures

---

## Corporate certifications

on sustainability criteria

