


Order no.: 019477

## Automatic steel hinge for scaffolding folding frame



### Specification

Length <b>248 mm</b>	Width <b>25 mm</b>	Height <b>110 mm</b>	Suitable for <b>Folding scaffolding</b>	Weight <b>0.99 kg</b>
Transport dimensions <b>249 x 110 x 27 mm, 0.988 kg</b>	Business division <b>MUNK Günzburger Steigtechnik</b>	Order no. <b>019477</b>	Price <b>€ 52.00</b>	

### Facts

- Robust automatic steel hinge for scaffolding folding frame
- Increases safety through reliable hinge function
- Incl. mounting material

#### Scope of supply


- Hinge: 1 x
- Installation material: 1 x

### Information on sustainability criteria

- 
- Corporate certification: ISO 9001
  - Corporate certification: ISO 14001
  - Corporate certification: EN 1090
  - Corporate certification: EcoVadis
  - RoHS
  - REACH
  - The MUNK Group complies with a Code of Conduct
  - The Supply Chain Act does not apply due to our size
  - The materials used are listed in the technical specification
  - Resource-saving production: own photovoltaic systems
  - Energy-efficient consumption during production: LED lighting
  - Repairability, durability and quality: 15-year warranty on series products made in Germany
  - Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
  - Socially acceptable working conditions in production: fair wages, gender equality
  - Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
  - No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

