

Order no.: 030413

## ML working trestle, folding



### Specification

Height <b>810 mm</b>	Base area width <b>900 mm</b>	Base area length <b>590 mm</b>	Max. load capacity <b>150 kg</b>	Height adjustment <b>rigid</b>
Cover type <b>Wood silk-screen printing</b>	Weight <b>3.5 kg</b>	Transport dimensions <b>865 x 900 x 108 mm, 3.5 kg</b>	Business division <b>MUNK Günzburger Steigtechnik</b>	Order no. <b>030413</b>
Price <b>€ 142.00</b>				

### Facts

- Aluminium folding working trestle
- Stable rectangular tube side-rails
- Cover made of anti-slip film-faced plywood board.
- Just 110 mm wide when folded together
- Cross bracing thanks to welded rectangular rungs

- High stability thanks to spreader lock with two high-strength polyester straps underneath the rung
- Side-rail ends with inside shoes and cover caps
- Maximum load: 150 kg

### Scope of supply

- Working trestle: 1 x
- Instructions for use and operation: 1 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

