



Order no.: 020318

## 3-section rung push-up extension ladder with standard stabiliser



Number of rungs

**3x8**

3x10

3x12

3x14

### Specification

Working height <b>6.9 m</b>	Step design <b>Rungs</b>	Number of steps/rungs <b>3x 8 rungs</b>	Step/Rung height <b>30 mm</b>	Step depth <b>30 mm</b>
Step/Rung distance <b>280 mm</b>	Retracted length <b>2.5 m</b>	Extended length <b>5.86 m</b>	Outer width <b>500 mm</b>	Stabiliser width <b>930 mm</b>
Depth of side-rails <b>73 mm</b>	Width of side-rails <b>25 mm</b>	Design type <b>To lean against   3-part</b>	Weight <b>17.2 kg</b>	Transport dimensions <b>2482 x 495 x 207 mm, 17.2 kg</b>
Business division <b>MUNK Günzburger Steigtechnik</b>	Article no. <b>020318</b>	Price <b>€ 526.00</b>		

### Facts

- Rung push-up extension ladder made of aluminium
- Stable rectangular tube side-rails
- Rectangular rungs grooved on both sides, 30 x 30 mm
- 4-fold edged rung-to-side-rail connection

- Simple height adjustment from rung to rung thanks to insertion hook with automatically engaging lift-off protection
- Upper ladder from size 2x14 rungs with wall castors
- Corrosion-resistant guide fixtures
- Middle and upper ladders up to 3.0 m with nivello® ladder shoes
- Rung distance: 280 mm
- Ladder width: 500 mm (without stabiliser)
- Maximum load: 150 kg
- Standard stabiliser with non-slip ladder shoes with optimum width for the selected product. Ensures maximum stability and safe ascent for straight ladders over 3.0 m. The stabiliser is enclosed separately and is screwed to the lower end of the rail in two places
- Note: In accordance with standards, the attached push-up extension ladder section cannot be separated from the ladder with lengths over 3.0 m

### Scope of supply

- Ladder: 1 x
- Stabiliser (enclosed separately): 1 x
- Instructions for use and operation: 1 x


### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size

- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Industrial grade

Stable and robust for tough everyday working life (including 4-way edging)

- Corrosion-resistant fixtures
- Use of high-quality and high-strength materials
- Versatile and practical accessories



### Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



Optimum and smooth operation, thanks to easily accessible elements

- Simple height adjustment from rung to rung or from step to step
- Wall wheels on the upper part (from 14 rungs or more)
- Fittings with sliding guides
- Smooth-running rope pulley



### Standard stabiliser

Safe, standards-compliant ascent for straight ladders over 3.0 m

- Different stabiliser widths, suitable for the selected ladder length
- Non-slip ladder shoes
- Individually available as spare part




### **roll-bar retrofit kit**

- Rolling instead of carrying: ergonomic and convenient handling
- Simple, no-drill mounting on stabilisers
- User-friendly operation without bending down



## Accessories



Order no.: 019326

Accessory package "TRBS kit"



Order no.: 019324

Accessory package "Secure footing"



Order no.: 019329

Accessory package "Ergonomics"



Order no.: 019328

Accessory package "Practical aids 2"




Order no.: 019309

Accessory package "Ladder head protection, complete set"



Order no.: 019315

Ladder head protection



Order no.: 019316

Ladder head protection



Order no.: 019317

Ladder head protection



Order no.: 019319

Ladder head protection, gutter




Order no.: 019318

Ladder head protection, beam




Order no.: 040344

Ladder head protection, magnet




Order no.: 019310

Ladder head protection, rung and step hole




Order no.: 019311

Ladder head protection, rung and step hole




Order no.: 019312

Ladder head protection, rung and step hole




Order no.: 019634


'roll-bar' retrofit kit




Order no.: 019900  
Hook-in platform R13 for rung ladders




Order no.: 019910  
Hook-in step R13 for rung ladders



Order no.: 019842  
Wall spacer for insulated facades



Order no.: 019100  
Wall spacer for rung ladders




Order no.: 019115  
Bucket hook




Order no.: 019114  
Gutter bracket




Order no.: 019902  
MaxxStep step module




Order no.: 019287  
Tool bag




Order no.: 019101  
Exit side-rail retractable




Order no.: 019102  
Exit side-rail retractable




Order no.: 011179  
Ridge bracket




Order no.: 019280  
Attachable section "Window cleaner"



Order no.: 019939  
Ground spikes for half-round inner shoe



Order no.: 019689  
Pull-out stop for rung ladders made of aluminium



Order no.: 019176  
Inventory sticker



Order no.: 019175  
Inspection sticker



Order no.: 030296  
Push-fit handrail  
for rung/step  
spacing 280/263  
mm



Order no.: 019254  
Guide fixture,  
upper, for push-up  
extension, rope-  
extension and  
multi-purpose  
ladders

## Spare parts



Order no.: 019632  
Stabiliser  
complete



Order no.: 019199  
Outside shoe for  
cross-tube



Order no.: 019144  
Information  
stickers for push-  
up extension and  
rope-extension  
ladders over 3 m



## Certificates

---



17KFP1538-02 -  
Test Certificate  
"Bauart geprüft"

Valid in



DIN EN 131-  
3:2007  
PAK-  
ANFORDERUNG  
FÜR GS -  
ABSCHNITT  
3.1(PAH-  
REQUIREMENT  
FOR GS - CL. 3.1)  
AFPS GS 2014:01  
PAK  
EK5/AK1 17-1:2017  
DIN EN 131-1:2016  
DIN EN 131-2:2017

## Corporate certifications

---

on sustainability criteria

