



Order no.: 115480

## Telescopic work platform Solid Line



Number of rungs

2x4

### Specification

Working height min. <b>2.2 m</b>	Working height max. <b>2.6 m</b>	Number of steps/rungs <b>2x 4 steps</b>	Step depth <b>65 mm</b>	Step design <b>Steps</b>
Base area <b>1.96 m</b>	Retracted length <b>740 mm</b>	Extended length <b>880 mm</b>	Platform height min. <b>510 mm</b>	Platform height max. <b>880 mm</b>
Outer width <b>620 mm</b>	Stabiliser width <b>620 mm</b>	Max. load capacity <b>150 kg</b>	Design type <b>Double-sided access   Freestanding</b>	Weight <b>19.5 kg</b>
Transport dimensions <b>740 x 470 x 285 mm, 19.5 kg</b>	Business division <b>MUNK Günzburger Steigtechnik</b>	Order no. <b>115480</b>	Price <b>€ 870.00</b>	

### Facts

- Original Telesteps telescopic ladder made of aluminium
- Sturdy round side-rails, anodised for abrasion resistance
- 65 mm deep steps with line profiles minimise the risk of slipping
- High-strength rung-to-side-rail connection
- Three different platform heights (0.51/0.68/0.88 m) possible
- Grooved work platform for safe standing

- Easy to transport thanks to integrated carrying handle (enclosed loose)
- Folds together compactly
- Maximum load: 150 kg
- These products are covered by the statutory warranty

### Scope of supply

- Work platform: 1 x
- Instructions for use and operation: 1 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Easy handling

- Centrally mounted, automatically locking steel hinges for quick change of functions
- With Telesteps: Sturdy joints on folding units guarantee durability



### Large range of accessories

- The right equipment for every application
- Practical and makes work easier
- Suitable for universal use on Günzburger Steigtechnik ladders



### Flexible use

- Various application options
- Can be used as a height-adjustable step and straight ladder



### Ratchet handles

- Easy to handle thanks to ergonomic shape
- Stable and safe thanks to steel core and aluminium cover



### practical and compact

- Thanks to the telescopic function, the ladders can be folded/moved together to take up minimum space when not in use
- Space-saving storage and easy transport

### Height adjustment

- The height-adjustable ladder sections are ideal for use on stairs
- Intuitive telescoping of the ladder through clearly visible levers or ratchet handles



## Safe standing

- Stabilisers in optimum widths for the ladder model
- Conical construction (without stabiliser) or bevelled rubber shoes



## Certificates

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

