



Order no.: 070772

# Telescopic safety door for platform width of 600 mm / 800 mm / 1,000 mm



Model versions

# Specification

Weight 5 kg

Transport dimensions 830 x 657 x 65 mm, 5 kg

Business division MUNK Günzburger Steigtechnik Order no. 070772

Price € 396.00

### **Facts**

- Compliant with DIN EN ISO 14122
- Safety door for step widths 600/800/1,000 mm, permanently adjustable
- On-site adaptation to intermediate sizes possible through additional bore holes
- Simple to assemble

## Scope of supply

Security door: 1 x

Assembly instructions: 1 x

Information on sustainability criteria



Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

### More product pictures



### Added value

### Product configurator

Configuring, enquiring about and ordering individual products could not be easier with our product configurator for stairs, bridging steps and mobile platform stairs. Simply enter your required dimensions and versions step by step, and a rotating 3D model will appear in real time. To save your configuration and request a quotation requires a login which will be set up for you by our Sales team.





# Corporate certifications

### on sustainability criteria









