

Order no.: 070524

# Scaffolding strut telescopic

Telescopic from

1.7-2.5 m

2.12-3.4m



## Specification

| Length<br>1.7 m  | Width<br>50 mm                                       | Height<br>60 mm     | Suitable for<br>Mobile scaffolding  <br>Folding scaffolding | Weight<br>3.62 kg |
|--|--|---------------------|---|-------------------|
| Transport dimensions<br>1700 x 50 x 60 mm,<br>3.617 kg | Business division<br>MUNK Günzburger<br>Steigtechnik | Order no.<br>070524 | Price<br>€ 306.00   |                   |

#### **Facts**

- Universally use thanks to clamping clip
- 1,700–2,500 mm
- Delivery time: 10 working days

## Scope of supply

■ Brace: 1 x

## Information on sustainability criteria



Corporate certification: ISO 9001

■ Corporate certification: ISO 14001

■ Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

#### More product pictures



## Corporate certifications

#### on sustainability criteria









