

Order no.: 111002

Scaling ladder upper section DIN EN 1147, photoluminescent

Rung covering

Glow (yellow luminescent)

Standard (red)



Specification

Rescue height 1.6 m	Intended use Rescue	Ladder length 2.7 m	Ladder length, 4 scaling ladders 8.4 m	Setting angle 70 °
Outer width 575 mm	Ladder feet Ladder shoe	Depth of side-rails 74 mm	Width of side-rails 35 mm	Step/Rung height 28 mm
Step depth 29 mm	Number of steps/rungs 7 rungs	Step/Rung distance 273 mm	Max. load capacity 216 kg	Persons max. 2
Material Aluminium	Rung covering Glow (yellow luminescent)	Weight 9.8 kg	Transport dimensions 84 x 567 x 2658 mm, 6 kg	Business division MUNK Rettungstechnik
Article no. 111002				

Facts

- Rescue ladder compliant with DIN EN 1147
- Made of aluminium

- Secure push-fit connections with spring-loaded locking pin
- Conical side-rail guide for safe stance
- Corrosion-resistant fixtures made of galvanised steel
- Permissible load: 216 kg / 2 people
- Side-rails and rungs made of high-strength aluminium
- With yellow luminescent, heat-insulating and non-slip plastic covering
- 4-fold edged rung-to-side-rail connection
- Non-slip and replaceable ladder shoes

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Accessories



Order no.: 115004
Scaling ladder
connecting section
DIN EN 1147



Order no.: 116115
Adjustable base
widener DIN EN
1147 and ÖNORM
F4047



Order no.: 070369
Assembly aid,
rung protection



Order no.: 111001
Scaling ladder
lower section DIN
EN 1147,
photoluminescent



Order no.: 111003
Scaling ladder
push-fit section
DIN EN 1147,
photoluminescent

Spare parts



Order no.: 115172

Rungfix repair kit
for FS ladders
afterglow



Order no.: 891001

Spare rung FS
ladder DIN EN
1147



Order no.: 820001

Inside shoe, FS
ladder DIN EN
1147 and ÖNORM
F4047




Order no.: 820002

Blind rivets, flat
head, 4.8x11.5 for
holder



Order no.: 820003

Blind rivets, flat
head, 4.8x9 for
scaling ladder lock



Order no.: 820005

Holder, scaling
ladder aluminium
DIN EN 1147 and
ÖNORM F4047



Order no.: 820006

Scaling ladder
lock DIN EN 1147
and ÖNORM
F4047

Corporate certifications

on sustainability criteria

