



Order no.: 111002

## Scaling ladder upper section DIN EN 1147, photoluminescent

Rung covering

Glow (yellow luminescent)

Standard (red)

### Specification

Rescue height <b>1.6 m</b>	Intended use <b>Rescue</b>	Ladder length <b>2.7 m</b>	Ladder length, 4 scaling ladders <b>8.4 m</b>	Setting angle <b>70 °</b>
Outer width <b>575 mm</b>	Ladder feet <b>Ladder shoe</b>	Depth of side-rails <b>74 mm</b>	Width of side-rails <b>35 mm</b>	Step/Rung height <b>28 mm</b>
Step depth <b>29 mm</b>	Number of steps/rungs <b>7 rungs</b>	Step/Rung distance <b>273 mm</b>	Max. load capacity <b>216 kg</b>	Persons max. <b>2</b>
Material <b>Aluminium</b>	Rung covering <b>Glow (yellow luminescent)</b>	Weight <b>9.8 kg</b>	Transport dimensions <b>84 x 567 x 2658 mm, 6 kg</b>	Business division <b>MUNK Rettungstechnik</b>
Order no. <b>111002</b>				

### Facts

- Rescue ladder compliant with DIN EN 1147
- Made of aluminium

- Secure push-fit connections with spring-loaded locking pin
- Conical side-rail guide for safe stance
- Corrosion-resistant fixtures made of galvanised steel
- Permissible load: 216 kg / 2 people
- Side-rails and rungs made of high-strength aluminium
- With yellow luminescent, heat-insulating and non-slip plastic covering
- 4-fold edged rung-to-side-rail connection
- Non-slip and replaceable ladder shoes


## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

