



Order no.: 111001

# Scaling ladder lower section DIN EN 1147, photoluminescent

Rung covering

Glow (yellow luminescent)

Standard (red)

## **Specification**

Rescue height <b>1.6 m</b>	Intended use Rescue	Ladder length <b>2.7 m</b>	Ladder length, 4 scaling ladders <b>8.4 m</b>	Setting angle 70 °
Outer width 485 mm	Ladder feet <b>Ladder shoe</b>	Depth of side-rails <b>74 mm</b>	Width of side-rails 35 mm	Step/Rung height 28 mm
Step depth 29 mm	Number of steps/rungs <b>9 rungs</b>	Step/Rung distance 273 mm	Max. load capacity 216 kg	Persons max.
Material <b>Aluminium</b>	Rung covering Glow (yellow luminescent)	Weight <b>9 kg</b>	Transport dimensions 84 x 489 x 2665 mm, 7.5 kg	Business division MUNK Rettungstechnik
Article no. <b>111001</b>				

### **Facts**

- Rescue ladder compliant with DIN EN 1147
- Made of aluminium



- Secure push-fit connections with springloaded locking pin
- Conical side-rail guide for safe stance
- Corrosion-resistant fixtures made of galvanised steel
- Permissible load: 216 kg / 2 people
- Side-rails and rungs made of high-strength aluminium
- With yellow luminescent, heat-insulating and non-slip plastic covering
- 4-fold edged rung-to-side-rail connection
- Non-slip and replaceable ladder shoes

## Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



# More product pictures









# **Corporate certifications**

### on sustainability criteria









