

Order no.: 019189

## Link chain restraint

Model versions

Link chain restraint

Knot chain restraint



## Specification

Product type <b>Spare part</b>	Length <b>2 m</b>	Suitable for ladder type <b>Double-sided ladders</b>	Material <b>Hot dip galvanized steel</b>	Weight <b>0.64 kg</b>
Transport dimensions <b>100 x 100 x 40 mm, 0.636 kg</b>	Predecessor product <b>019528</b>	Business division <b>MUNK Günzburger Steigtechnik</b>	Order no. <b>019189</b>	Price <b>€ 102.00</b>
Spare part for article no. <b>040114</b>	Spare part for article no. <b>040107</b>	Spare part for article no. <b>040109</b>	Spare part for article no. <b>040112</b>	Spare part for article no. <b>040110</b>
Spare part for article no. <b>040108</b>				

## Facts

- Link chain restraint for double-sided ladders instead of polyester straps
- Length 2.0 m
- 1 set = 2 chains with fastenings

## Scope of supply

- Chain restraint : 1 x


## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

